

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application.

**Listing of Claims:**

1. (Currently Amended) A method of sending an identity information document comprising:
  - selecting identity information from a self-identity information store for inclusion in the identity information document, wherein the selected identity information comprises a subset of identity information relating to the principal in the self-identity information store;
  - reading the selected identity information from the self-identity information store;
  - generating the identity information document to include the selected identity information and at least a first key, the identity information document signed using a second key associated with the first key in the identity information document; and
  - sending the identity information document to a recipient-.
2. (Original) The method of claim 1, wherein selecting identity information comprises selecting a subset of identity information from the self-identity information store based on user input from a Graphical User Interface (GUI).
3. (Original) The method of claim 1, wherein selecting identity information comprises selecting a predetermined subset of information from the self-identity information store.
4. (Original) The method of claim 1, wherein generating an identity information document comprises encoding the selected identification information in an eXtensible Mark-up Language (XML) document.
5. (Original) The method of claim 1, wherein the selected identity information comprises identity claims of a principal originating the identity information document.

6. (Original) The method of claim 1, wherein the selected identity information comprises use policies for defining uses to which the contents of the identity information may be put.
7. (Currently Amended) A method of receiving an identity information document comprising:
  - receiving a signed identity information document from an originator;
  - determining whether identity information in the identity information document is reliable;
  - and
  - saving the identity information in a recognized identity information store if the identity information is determined to be reliable; and
  - determining whether to verify the identity information if the identity information is not reliable.
8. (Currently Amended) The method of claim 7, further comprising:
  - ~~responsive to determining that the identity information is not reliable, determining whether to verify the identity information;~~
  - responsive to determining to verify the identity information, retrieving an Identification Recognition Number (IRN) from the originator of the identity information document, determining whether the IRN is correct and, responsive to the IRN being correct, saving the identity information in the recognized identity information store.
9. (Currently Amended) The method of claim 7 [8], wherein determining whether the identity information is reliable is based on a user input through a graphical user interface.
10. (Currently Amended) The method of claim 7 [8], wherein determining whether to verify the identity information is based on a user input through a graphical user interface.

11. (Currently Amended) A system to send an identity information document comprising:  
a processor;  
a communication channel connected with the processor; and  
a memory coupled with and readable by the processor, the memory containing a series of instructions that, when executed by the processor, cause the processor to select identity information from a self-identity information store for inclusion in the identity information document, wherein the selected identity information comprises a subset of identity information relating to the principal in the self-identity information store;; read the selected identity information from thea self-identity information store; generate the identity information document to include the selected identity information and at least a first key, the identity information document signed using a second key paired with the first key; and send the identity information document to a recipient connected to the communication channel to establish an identity of the principal at the recipient.
12. (Original) The system of claim 11, wherein selecting identity information comprises selecting a subset of identity information from the self-identity information store based on user input from a Graphical User Interface (GUI).
13. (Original) The system of claim 11, wherein selecting identity information comprises selecting a predetermined subset of information from the self-identity information store.
14. (Original) The system of claim 11, wherein generating an identity information document comprises encoding the selected identification information in an eXtensible Mark-up Language (XML) document.
15. (Original) The system of claim 11, wherein the selected identity information comprises identity claims of a principal originating the identity information document.

16. (Original) The system of claim 11, wherein the selected identity information comprises use policies for defining uses to which the contents of the identity information may be put.
17. (Currently Amended) A system to receive an identity information document from an originator for use in future recognition of the originator comprising:
  - a processor;
  - a communication channel connected with the processor; and
  - a memory coupled with and readable by the processor, the memory containing a series of instructions that, when executed by the processor, cause the processor to receive a signed identity information document from an originator, determine whether identity information in the identity information document is reliable, determine whether to verify the identity information if the identity information is not reliable, and save the identity information in a recognized identity information store if the identity information is determined to be reliable, the recognized identity information store being used for future recognition of the originator.
18. (Currently Amended) The system of claim 17, further comprising:
  - ~~responsive to determining that the identity information is not reliable, determining whether to verify the identity information;~~
  - responsive to determining to verify the identity information, receiving an Identification Recognition Number (IRN) from the initiator of the identity information document, determining whether the IRN is correct and, responsive to the IRN being correct, saving the identity information in the recognized identity information store.
19. (Currently Amended) The system of claim 17 [8], wherein determining whether the identity information is reliable is based on a user input through a graphical user interface.

20. (Currently Amended) The system of claim 17 [8], wherein determining whether to verify the identity information is based on a user input through a graphical user interface.
21. (Currently Amended) A computer readable medium encoding a computer program of instructions for executing a computer process for identity recognition, said computer process comprising:
  - selecting identity information from a self-identity information store for inclusion in the identity information document, wherein the selected identity information comprises a subset of identity information relating to the principal in the self-identity information store;
  - reading the selected identity information from a self-identity information store;
  - generating the identity information document to include the selected identity information and at least a first key, the identity information document signed with a second key associated with the first key in the identity information document; and
  - sending the identity information document to a recipient to establish an identity of the principal at the recipient.
22. (Original) The computer readable medium of claim 21, wherein selecting identity information comprises selecting a subset of identity information from the self-identity information store based on user input from a Graphical User Interface (GUI).
23. (Original) The computer readable medium of claim 21, wherein selecting identity information comprises selecting a predetermined subset of information from the self-identity information store.
24. (Original) The computer readable medium of claim 21, wherein generating an identity information document comprises encoding the selected identification information in an eXtensible Mark-up Language (XML) document.

25. (Original) The computer readable medium of claim 21, wherein the selected identity information comprises identity claims of a principal originating the identity information document.
26. (Original) The computer readable medium of claim 21, wherein the selected identity information comprises use policies for defining uses to which the contents of the identity information may be put.
27. (Original) The computer readable medium of claim 21, further comprising:  
receiving a signed identity information document from an originator;  
determining whether identity information in the identity information document is reliable;  
and  
saving the identity information in a recognized identity information store if the identity information is determined to be reliable, the recognized identity information store for future recognition of the originator.
28. (Original) The computer readable medium of claim 27, further comprising:  
responsive to determining that the identity information is not reliable, determining whether to verify the identity information;  
responsive to determining to verify the identity information, retrieving a retrieved Identification Recognition Number (IRN) from the initiating system of the identity information document, generating a computed IRN at the receiving system based in information in the identity information document, comparing the retrieved IRN with the computed IRN to determine whether the computed IRN is verified and, responsive to the computed IRN being verified, saving the identity information in the recognized identity information store.
29. (Original) The computer readable medium of claim 28, wherein determining whether the identity information is reliable is based on a user input through a graphical user interface.

30. (Original) The computer readable medium of claim 28, wherein determining whether to verify the identity information is based on a user input through a graphical user interface.